Vibe Kit 04

VBK-4

Vibe is a collection of cleverly-designed state-of-the-art 10' exhibit booths. Vibe combines light-weight aluminum structures with pillowcase dyesublimated printed fabric graphics for a truly unique appearance and experience. Vibe is efficient, easy to assemble and disassemble and offers remarkable style options and choices.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art snap button aluminum structure
- Frame constructed of 30mm lightweight aluminum tube
- High-quality dye-sublimated zipper pillowcase graphics
- Brushed silver finish on exposed tube - Easy step-by-step instructions
- Kit includes two frames, two fabric pillowcase graphics, two wheeled molded cases and two 120 watt floodlights
- Lifetime warranty on hardware against manufacturer defects


dimensions:

Hardware	Graphic
Assembled unit: 117.5"w x 92"h x 27"d 2984.5mm(w) x 2336.8mm(h) x 685.8mm(d)	Foreground: Total visible area: 70.763" w x 85.91"h 1797.38mm(w) x 2182.11mm(h) Background: Total visible area: 114" w x 92"h 2895.6mm(w) x 2336.8mm(h) Refer to related graphic templates for mor information
Shipping	
Shipping dimensions - ships in 2 cases Each OCL case: 19"l x 19"w x 56"h 482.6mm(l) x 482.6mm(w) x 1422.4mm(h) Approximate shipping weight (entire kit): 110 lbs/ 49.9 kg	

additional information:


Graphic materials: Dye-sublimated fabric	Lights included: Lumina 200 120 watt floodlight, curved arm, black finish, 19.5" from end to end	

Parts inclu	uded		
Part Label	Qty	Part Label	Qty
1	x1	2C	X1
2	x1	3C	X1
3	x1	4C	X1
4	x1	5C	X1
5	x1	6C	X1
6	x1	7C	X1
7	x1	8C	X1
8	x1	9C	X1
9	x1	Feet	x2
10	x1	Lights	x2
11	x1	Background	
12	x1	graphic	x1
13	x1	Foreground graphic	x1
14	x1	Tool	x1
15	x1		
1B	x1	-	
2B	x1	_	
3B	x1		
4B	x1		
5B	x1		
6B	x1		
7B	x1		
8B	x1		
9B	x1	1	
1C	x1		




Step 1. Assemble background frame

Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch background graphic over the frame starting at the top. Pull tightly all the way down assuring holes in graphic align with knobs on frame and secure with zipper.




Step 2.

Attach feet to background frame using details shown below. Stand unit upright. Adjust the height of feet to ensure display is level.




Step 3. Assemble foreground frame

Lay pieces out flat and assemble in numerical order as shown. Numbers will be on the back side of the tube. When frame is complete, stretch foreground graphic over the right half of the foreground frame, starting at the top. Pull tightly all the way down assuring holes in graphic align with knobs on frame and secure with zipper.





Step 4.


Connect the left and right sections of the foreground frame using the tube clamps as shown in the detail below. Tighten tube clamp using provided 5/32" hex key.




Step 5. Attach foreground frame to background frame Attach two units together using 9C, 8B and 9B.








Step 6. Attach lights to back frame as detailed in diagram below.





Check out these related products:

