

PRODUCT DESCRIPTION

Our $\check{\mathbf{G}} \mathbf{g} | \bar{\mathbf{O}}$ smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Our *Malmö* boosts 79" of illuminated allure, perfect to create 20 ft displays that fit in just three cases.

Mix-and-match with other $\breve{\mathbf{Q}} \Bar{\mathbf{Q}} \Bar{\mathbf{Q}}$ panels, or combine with our **I**.CON or Impact!Pro displays, to create unique branded environments. TV mounts and counters complete an enhanced experience to really make your brand stand out.

KEY FEATURES

- · Easy tool free assembly
- Lightweight portable
- construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

	DIMENSIONS	
	Assembled Unit	79"w x 96"h x 4"d
	Packed Case	46.5"w x 15"h x 12"d, 58 lbs
	Shipping Box	47"w x 16"h x 13"d, 60 lbs
	Graphic Size	79"w x 96"h

LED LIGHT SPECIFICATIONS		
Power Requirements	128 W	
CCT (Color Temp)	6000 K	
Voltage Input	110 / 220V	
Voltage Output	24V 11A 264W	
Transformers Included	1	


GRAPHIC MATERIAL		
Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 55	
Blocker: One Planet light block recycled fabric	Bottles recycled 22	

GRAPHIC FINISHING Silicone sewn edges

WARRANTY	
Limited Warranty Periods	
- Frame : Lifetime	
- Lights : 90 days	
- Graphics : 30 days	













Assemble parts on the floor and stand-up unit when completed.
























Malmö

Push the silicone bead into each corner of the frame with your thumb.



Push the siliconebead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly







To Remove Graphic

Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter



